


## Lift & Slide Configurations




# Sierra Pacific WI Panels Types

## Lift & Slide Doors & Windows


### French panels<sup>1\*\*,2</sup>

4 1/2" stiles & top rail with 7 1/2" bottom rail<sup>1b</sup>




### 1/4 Panel Insert

French panel dimensions with  
a flat panel on the bottom part of the door



### 1/2 Panel Insert

French panel dimensions with  
a flat panel on the bottom part of the door



#### LEGEND:

1. The bottom rail height changes depending on the panel height.

\*\* Alternate stile options: 2 7/8, 4 1/2" or 6 1/2" and alternate bottom rail options: 2 7/8", 4 1/2", 6 1/2", 7 1/2", 9 1/2", and 12".


2. Midrail options are also available for French panels

# Andersen E-Series Panels Types

## Lift & Slide Doors & Windows


### SP1 French panels

4 11/16" stiles & top rail with 8" bottom rail




### SP2

4 11/16" stiles & top rail with 12" bottom rail




### SP1M1 Panels

SP1 panel stiles and rails with a mid-rail




### SP1M2 Panels

SP1 panel stiles and rails with a low mid-rail




### SP2M1 Panels

SP2 panel stiles and rails with a mid-rail



### SP2M2 Panels

SP2 panel stiles and rails with a low mid-rail



#### LEGEND:

1. Panels have to be 2- 1/4" thick for Lift & Slide Hardware
2. Andersen limits 2- 1/4" panels to 40 sf frame size